=>

(FILE 'HOME' ENTERED AT 14:32:16 ON 03 AUG 2005) FILE 'STNGUIDE' ENTERED AT 14:32:21 ON 03 AUG 2005 FILE 'REGISTRY' ENTERED AT 14:32:33 ON 03 AUG 2005 1 S ACETAZOLAMIDE/CN L1 4898855 S MAMMAL OR HUMAN L2FILE 'CAPLUS, USPATFULL' ENTERED AT 14:41:58 ON 03 AUG 2005 L3 2750 S L1 142998 S (TREAT? OR PREVENT? OR CONTROL? OR CONTACT?) (3A) (ULCER OR C L46192 S ACETAZOLAMIDE OR L3 L5 23293 S PYLOR? L6 2 S L4 (P) L5 (P) L6 L7

FILE 'REGISTRY' ENTERED AT 14:52:45 ON 03 AUG 2005

L7 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1979:76573 CAPLUS

DOCUMENT NUMBER:

90:76573

TITLE:

Pharmaceutical composition for the treatment of

gastric ailments

INVENTOR(S):

Puscas, Ioan; Orban, Ioan; Voicu, Livia; Breazu, Dorin; Pop, Ioan; Ciupe, Iuliu; Terec, Lazar; Butan,

Mioara Ruxandra; Chiu, Aurel; et al.

PATENT ASSIGNEE(S):

Centrala Industriala de Medicamente, Cosmetice,

Coloranti si Lacuri, Rom.

SOURCE:

Ger. Offen., 17 pp.

CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
				-	
DE 2820900	A1	19781116	DE 1978-2820900		19780512
RO 65971	В	19810530	RO 1977-90350		19770514
RO 65969	В	19810630	RO 1977-90347		19770514
RO 65970	В	19810630	RO 1977-90349		19770514
JP 53142536	A2	19781212	JP 1978-56088		19780511
GB 1582619	Α	19810114	GB 1978-19025		19780511
FR 2421618	A1	19791102	FR 1978-14260		19780512
FR 2421618	B1	19820820			
FR 2405714	A1	19790511	FR 1978-35769		19781220
FR 2405714	B1	19811127			
PRIORITY APPLN. INFO.:			RO 1977-90347	Α	19770514
			RO 1977-90349	Α	19770514
		•	RO 1977-90350	Α	19770514
			RO 1977-90351	Α	19770514
			RO 1978-93790	Α	19780413

## => d ab kwic 2

ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN T.7

AB Prepns. for the treatment of gasritis, gastroduodenitis, and gastrointestinal ulcers were prepared containing a carboanhydrase inhibiting sulfonamide (ethoxzolamide [452-35-7], benzolamide [3368-13-6], methazolamide [554-57-4], and acetazolamide [59-66-5 ]) and NaHCO3 and (or) KHCO3 and (or) Na citrate and (or) K citrate and (or) MgO and (or) Mg(HCO3)2 and (or) Al(OH)3. Oral administration of tablets containing 20-30 mg acetazolamide, 10-30 mg K citrate, 10-30 mg NaHCO3, 5-10 mg (Al(OH)3, and 10-20 mg MgO/kg 2-3 times daily for 2-4 wk to patients with gastrointestinal disorders accelerated healing of ulcers and decreased postoperative treatment of peptic ulcer and pyloric stenosis.